



Giardiasis


- Reported cases of disease, 1999-2003
- 5-year rate of disease, 1999-2003
- Reported cases by age group, 2003
- Reported cases by gender, 2003
- Reported cases by county, 2003
- Reported cases by month, 2003



Reported cases of Giardiasis by age group, Rhode Island, 2003			
Age Group	Number of reported cases	Percent	Rate ¹ of disease per 100,000
< 1	0	----	----
1-4	20	15.9 %	38.7
5-9	21	16.7 %	29.2
10-19	17	13.5 %	11.6
20-29	7	5.6 %	5.1
30-39	15	11.9 %	9.3
40-49	17	13.5 %	10.6
50-59	16	12.7 %	13.7
60-74	12	9.5 %	10.6
75+	1	0.7 %	1.3
TOTAL	126	100.0 %	12.0
¹ Denominators for computing rates for RI were based on 2000 Census counts obtained from the U.S. Census Bureau.			

Reported cases of Giardiasis by gender, Rhode Island, 2003			
Gender	Number of reported cases	Percent	Rate ¹ of disease per 100,000
Males	66	52.4 %	13.1
Females	56	44.4 %	10.3
Unknown	4	3.2 %	---
TOTAL	126	100.0 %	12.0
¹ Denominators for computing rates for RI were based on 2000 Census counts obtained from the U.S. Census Bureau.			

Reported cases of Giardiasis by county, Rhode Island, 2003			
County	Number of reported cases	Percent	Rate ¹ of disease per 100,000
Bristol	4	3.2 %	7.9
Kent	15	11.9 %	9.0
Newport	2	1.6 %	2.3
Providence	74	58.7 %	11.9
Washington	5	4.0 %	4.0
Unknown	26	20.6 %	---
TOTAL	126	100.0 %	12.0
¹ Denominators for computing rates for RI were based on 2000 population counts obtained from the U.S. Census Bureau.			



Questions regarding these data can be directed to Tara Cooper, MPH: Phone number: (401) 222-3284 or Email: TaraC@doh.state.ri.us.